

TIG



TIG TORCH 9



Technical data | 技术参数
Cooling: Gas Cooled | 冷却方式: 气冷
Duty35%DC: 110AMP | 直流35%暂载率: 110AMP
Duty35%AC: 95AMP | 交流35%暂载率: 95AMP
Electrode Size: 0.5-1.6mm | 电极尺寸: 0.5-1.6mm



Complete torch-EURO

Code	Description	Pack
IOH6306-36	Torch sintig 9F 8m M12x1 焊枪/单开关/TIG9FX/8m/M12x1	1
IOH6906-36	Torch sintig 9F 4m M12x1 焊枪/单开关/TIG9FX/4m/M12x1	1
IOH7306-36	Torch dubtig 9F 8m M12x1 焊枪/双开关/TIG9FX/8m/M12x1	1
IOH7906-36	Torch dubtig 9F 4m M12x1 焊枪/双开关/TIG9FX/4m/M12x1	1
IOT6306-36	Torch sintig 9 8m M12x1 焊枪/单开关/TIG9/8m/M12x1	1
IOT6906-36	Torch sintig 9 4m M12x1 焊枪/单开关/TIG9/4m/M12x1	1
IOT7306-36	Torch dubtig 9 8m M12x1 焊枪/双开关/TIG9/8m/M12x1	1
IOT7906-36	Torch dubtig 9 4m M12x1 焊枪/双开关/TIG9/4m/M12x1	1


Complete torch-UK

Code	Description	Pack
IOH6307-36	Torch sintig 9F 8m 3/8G 焊枪/单开关/TIG9FX/8m/3/8G	1
IOH6907-36	Torch sintig 9F 4m 3/8G 焊枪/单开关/TIG9FX/4m/3/8G	1
IOH7307-36	Torch dubtig 9F 8m 3/8G 焊枪/双开关/TIG9FX/8m/3/8G	1
IOH7907-36	Torch dubtig 9F 4m 3/8G 焊枪/双开关/TIG9FX/4m/3/8G	1
IOT6307-36	Torch sintig 9 8m 3/8G 焊枪/单开关/TIG9/8m/3/8G	1
IOT6907-36	Torch sintig 9 4m 3/8G 焊枪/单开关/TIG9/4m/3/8G	1
IOT7307-36	Torch dubtig 9 8m 3/8G 焊枪/双开关/TIG9/8m/3/8G	1
IOT7907-36	Torch dubtig 9 4m 3/8G 焊枪/双开关/TIG9/4m/3/8G	1

Complete torch-USA

Code	Description	Pack
IOH6372-36	Torch sintig 9F 8m 5/8-18UNF 焊枪/单开关/TIG9FX/8m/5/8-18UNF	1
IOH6972-36	Torch sintig 9F 4m 5/8-18UNF 焊枪/单开关/TIG9FX/4m/5/8-18UNF	1
IOH7372-36	Torch dubtig 9F 8m 5/8-18UNF 焊枪/双开关/TIG9FX/8m/5/8-18UNF	1
IOH7972-36	Torch dubtig 9F 4m 5/8-18UNF 焊枪/双开关/TIG9FX/4m/5/8-18UNF	1
IOT6372-36	Torch sintig 9 8m 5/8-18UNF 焊枪/单开关/TIG9/8m/5/8-18UNF	1
IOT6972-36	Torch sintig 9 4m 5/8-18UNF 焊枪/单开关/TIG9/4m/5/8-18UNF	1
IOT7372-36	Torch dubtig 9 8m 5/8-18UNF 焊枪/双开关/TIG9/8m/5/8-18UNF	1
IOT7972-36	Torch dubtig 9 4m 5/8-18UNF 焊枪/双开关/TIG9/4m/5/8-18UNF	1

TIG TORCH 9



Complete torch-EURO

Code	Description	Pack
IOH7106-36	Torch four switches 9F 4m M12x1/leather 焊枪/四开关/TIG9FX/4m/M12x1/皮护套	1
IOH7406-36	Torch dubtig 9F 8m M12x1/leather 焊枪/双开关/TIG9FX/8m/M12x1/皮护套	1
IOH7506-36	Torch dubtig 9F 4m M12x1/leather 焊枪/双开关/TIG9FX/4m/M12x1/皮护套	1
IOH8006-36	Torch four switches 9F 8m M12x1/leather 焊枪/四开关/TIG9FX/8m/M12x1/皮护套	1
IOT7106-36	Torch four switches 9 4m M12x1/leather 焊枪/四开关/TIG9/4m/M12x1/皮护套	1
IOT7406-36	Torch dubtig 9 8m M12x1/leather 焊枪/双开关/TIG9/8m/M12x1/皮护套	1
IOT7506-36	Torch dubtig 9 4m M12x1/leather 焊枪/双开关/TIG9/4m/M12x1/皮护套	1
IOT8006-36	Torch four switches 9 8m M12x1/leather 焊枪/四开关/TIG9/8m/M12x1/皮护套	1

Complete torch-EURO

Code	Description	Pack
IOS9306-00	Torch Tig9V 8m M12x1 焊枪/TIG9V/8m/M12x1	1
IOS9906-00	Torch Tig9V 4m M12x1 焊枪/TIG9V/4m/M12x1	1
IOU9306-00	Torch auto Tig9 8m M12x1 自动焊枪/TIG9/8m/M12x1	1
IOU9906-00	Torch auto Tig9 4m M12x1 自动焊枪/TIG9/4m/M12x1	1

Complete torch-UK

Code	Description	Pack
IOS9307-00	Torch Tig9V 8m 3/8G 焊枪/TIG9V/8m/3/8G	1
IOS9907-00	Torch Tig9V 4m 3/8G 焊枪/TIG9V/4m/3/8G	1
IOU9307-00	Torch auto Tig9 8m 3/8G 自动焊枪/TIG9/8m/3/8G	1
IOU9907-00	Torch auto Tig9 4m 3/8G 自动焊枪/TIG9/4m/3/8G	1

TIG TORCH 17



Technical data | 技术参数
Cooling: Gas Cooled | 冷却方式: 气冷
Duty35%DC: 140AMP | 直流35%暂载率: 140AMP
Duty35%AC: 125AMP | 交流35%暂载率: 125AMP
Electrode Size: 0.5-2.4mm | 电极尺寸: 0.5-2.4mm



Complete torch-EURO

Code	Description	Pack
IOI6306-36	Torch sintig 17F 8m M12x1 焊枪/单开关/TIG17FX/8m/M12x1	1
IOI6906-36	Torch sintig 17F 4m M12x1 焊枪/单开关/TIG17FX/4m/M12x1	1
IOI7306-36	Torch dubtig 17F 8m M12x1 焊枪/双开关/TIG17FX/8m/M12x1	1
IOI7906-36	Torch dubtig 17F 4m M12x1 焊枪/双开关/TIG17FX/4m/M12x1	1
IOZ6306-36	Torch sintig 17 8m M12x1 焊枪/单开关/TIG17/8m/M12x1	1
IOZ6906-36	Torch sintig 17 4m M12x1 焊枪/单开关/TIG17/4m/M12x1	1
IOZ7306-36	Torch dubtig 17 8m M12x1 焊枪/双开关/TIG17/8m/M12x1	1
IOZ7906-36	Torch dubtig 17 4m M12x1 焊枪/双开关/TIG17/4m/M12x1	1

Complete torch-UK

Code	Description	Pack
IOI6307-36	Torch sintig 17F 8m 3/8G 焊枪/单开关/TIG17FX/8m/3/8G	1
IOI6907-36	Torch sintig 17F 4m 3/8G 焊枪/单开关/TIG17FX/4m/3/8G	1
IOI7307-36	Torch dubtig 17F 8m 3/8G 焊枪/双开关/TIG17FX/8m/3/8G	1
IOI7907-36	Torch dubtig 17F 4m 3/8G 焊枪/双开关/TIG17FX/4m/3/8G	1
IOZ6307-36	Torch sintig 17 8m 3/8G 焊枪/单开关/TIG17/8m/3/8G	1
IOZ6907-36	Torch sintig 17 4m 3/8G 焊枪/单开关/TIG17/4m/3/8G	1
IOZ7307-36	Torch dubtig 17 8m 3/8G 焊枪/双开关/TIG17/8m/3/8G	1
IOZ7907-36	Torch dubtig 17 4m 3/8G 焊枪/双开关/TIG17/4m/3/8G	1

Complete torch-USA

Code	Description	Pack
IOI6372-36	Torch sintig 17F 8m 5/8-18UNF 焊枪/单开关/TIG17FX/8m/5/8-18UNF	1
IOI6972-36	Torch sintig 17F 4m 5/8-18UNF 焊枪/单开关/TIG17FX/4m/5/8-18UNF	1
IOI7372-36	Torch dubtig 17F 8m 5/8-18UNF 焊枪/双开关/TIG17FX/8m/5/8-18UNF	1
IOI7972-36	Torch dubtig 17F 4m 5/8-18UNF 焊枪/双开关/TIG17FX/4m/5/8-18UNF	1
IOZ6372-36	Torch sintig 17 8m 5/8-18UNF 焊枪/单开关/TIG17/8m/5/8-18UNF	1
IOZ6972-36	Torch sintig 17 4m 5/8-18UNF 焊枪/单开关/TIG17/4m/5/8-18UNF	1
IOZ7372-36	Torch dubtig 17 8m 5/8-18UNF 焊枪/双开关/TIG17/8m/5/8-18UNF	1
IOZ7972-36	Torch dubtig 17 4m 5/8-18UNF 焊枪/双开关/TIG17/4m/5/8-18UNF	1

TIG TORCH 17



Complete torch-EURO

Code	Description	Pack
IOI7106-36	Torch four switches 17F 4m M12x1/leather 焊枪/四开关/TIG17FX/4m/M12x1/皮护套	1
IOI7406-36	Torch dubtig 17F 8m M12x1/leather 焊枪/双开关/TIG17FX/8m/M12x1/皮护套	1
IOI7506-36	Torch dubtig 17F 4m M12x1/leather 焊枪/双开关/TIG17FX/4m/M12x1/皮护套	1
IOI8006-36	Torch four switches 17F 8m M12x1/leather 焊枪/四开关/TIG17FX/8m/M12x1/皮护套	1
IOZ7106-36	Torch four switches 17 4m M12x1/leather 焊枪/四开关/TIG17/4m/M12x1/皮护套	1
IOZ7406-36	Torch dubtig 17 8m M12x1/leather 焊枪/双开关/TIG17/8m/M12x1/皮护套	1
IOZ7506-36	Torch dubtig 17 4m M12x1/leather 焊枪/双开关/TIG17/4m/M12x1/皮护套	1
IOZ8006-36	Torch four switches 17 8m M12x1/leather 焊枪/四开关/TIG17/8m/M12x1/皮护套	1

Complete torch-EURO

Code	Description	Pack
ION9306-00	Torch TIG17V 8m M12x1 焊枪/TIG17V/8m/M12x1	1
ION9906-00	Torch TIG17V 4m M12x1 焊枪/TIG17V/4m/M12x1	1
IOF9306-00	Torch auto TIG17 8m M12x1 自动焊枪/TIG17/8m/M12x1	1
IOF9906-00	Torch auto TIG17 4m M12x1 自动焊枪/TIG17/4m/M12x1	1

Complete torch-UK

Code	Description	Pack
ION9307-00	Torch TIG17V 8m 3/8G 焊枪/TIG17V/8m/3/8G	1
ION9907-00	Torch TIG17 4m 3/8G 焊枪/TIG17V/4m/3/8G	1
IOF9307-00	Torch auto TIG17 8m 3/8G 自动焊枪/TIG17/8m/3/8G	1
IOF9907-00	Torch auto TIG17 4m 3/8G 自动焊枪/TIG17/4m/3/8G	1

TIG TORCH 18



Epdm



Technical data 技术参数	
Cooling: Water Cooled	冷却方式: 水冷
Duty100%DC: 320AMP	直流100%暂载率: 320AMP
Duty100%AC: 240AMP	交流100%暂载率: 240AMP
Electrode Size: 0.5-4mm	电极尺寸: 0.5-4mm



Complete torch-EURO

Code	Description	Pack
IOB6306-36	Torch sintig 18 8m M12x1 焊枪/单开关/TIG18/8m/M12x1	1
IOB6906-36	Torch sintig 18 4m M12x1 焊枪/单开关/TIG18/4m/M12x1	1
IOB7306-36	Torch dubtig 18 8m M12x1 焊枪/双开关/TIG18/8m/M12x1	1
IOB7906-36	Torch dubtig 18 4m M12x1 焊枪/双开关/TIG18/4m/M12x1	1

Complete torch-UK

Code	Description	Pack
IOB6307-36	Torch sintig 18 8m 3/8G 焊枪/单开关/TIG18/8m/3/8G	1
IOB6907-36	Torch sintig 18 4m 3/8G 焊枪/单开关/TIG18/4m/3/8G	1
IOB7307-36	Torch dubtig 18 8m 3/8G 焊枪/双开关/TIG18/8m/3/8G	1
IOB7907-36	Torch dubtig 18 4m 3/8G 焊枪/双开关/TIG18/4m/3/8G	1

TIG TORCH 18



Leather



Leather

Complete torch-EURO

Code	Description	Pack
IOB7106-36	Torch four switches 18 4m M12x1/leather 焊枪/四开关/TIG18/4m/M12x1/皮护套	1
IOB7406-36	Torch dubtig 18 8m M12x1/leather 焊枪/双开关/TIG18/8m/M12x1/皮护套	1
IOB7506-36	Torch dubtig 18 4m M12x1/leather 焊枪/双开关/TIG18/4m/M12x1/皮护套	1
IOB8006-36	Torch four switches 18 8m M12x1/leather 焊枪/四开关/TIG18/8m/M12x1/皮护套	1

Complete torch-EURO

Code	Description	Pack
IOY9306-00	Torch TIG 18V 8m 焊枪/TIG18V/8m	1
IOY9906-00	Torch TIG 18V 4m 焊枪/TIG18V/4m	1
IOG9306-00	Auto torch TIG 18 8m 自动焊枪/TIG18/8m	1
IOG9906-00	Auto torch TIG 18 4m 自动焊枪/TIG18/4m	1

Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解, 请见封面内页 (公司简介)

Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解, 请见封面内页 (公司简介)

TIG TORCH 20



Epdm



Technical data

Cooling: Water Cooled
Duty100%DC: 250AMP
Duty100%AC: 220AMP
Electrode Size: 0.5-3.2mm

技术参数
冷却方式: 水冷
直流100%暂载率: 250AMP
交流100%暂载率: 220AMP
电极尺寸: 0.5-3.2mm



Complete torch-EURO

Code	Description	Pack
IOM6306-36	Torch sintig 20 8m M12x1 焊枪/单开关/TIG20/8m/M12x1	1
IOM6906-36	Torch sintig 20 4m M12x1 焊枪/单开关/TIG20/4m/M12x1	1
IOM7306-36	Torch dubtig 20 8m M12x1 焊枪/双开关/TIG20/8m/M12x1	1
IOM7906-36	Torch dubtig 20 4m M12x1 焊枪/双开关/TIG20/4m/M12x1	1

Complete torch-UK

Code	Description	Pack
IOM6307-36	Torch sintig 20 8m 3/8G 焊枪/单开关/TIG20/8m/3/8G	1
IOM6907-36	Torch sintig 20 4m 3/8G 焊枪/单开关/TIG20/4m/3/8G	1

TIG TORCH 20



Leather



Leather



Epdm



Epdm

Complete torch-EURO

Code	Description	Pack
IOM7106-36	Torch four switches 20 4m M12x1/leather 焊枪/四开关/TIG20/4m/M12x1/皮护套	1
IOM7406-36	Torch dubtig 20 8m M12x1/leather 焊枪/双开关/TIG20/8m/M12x1/皮护套	1
IOM7506-36	Torch dubtig 20 4m M12x1/leather 焊枪/双开关/TIG20/4m/M12x1/皮护套	1
IOM8006-36	Torch four switches 20 8m M12x1/leather 焊枪/四开关/TIG20/8m/M12x1/皮护套	1

Complete torch-EURO

Code	Description	Pack
IOM9306-00	Torch TIG 20V 8m 焊枪/TIG20V/8m	1
IOM9906-00	Torch TIG 20V 4m 焊枪/TIG20V/4m	1
IOQ9306-00	Auto torch TIG 20 8m 自动焊枪/TIG20/8m	1
IOQ9906-00	Auto torch TIG 20 4m 自动焊枪/TIG20/4m	1

Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解, 请见封面内页 (公司简介)

Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解, 请见封面内页 (公司简介)

TIG TORCH 24



Technical data 技术参数
Cooling: Gas Cooled 冷却方式: 气冷
Duty35%DC: 110AMP 直流35%暂载率: 110AMP
Duty35%AC: 95AMP 交流35%暂载率: 95AMP
Electrode Size: 0.5-2.4mm 电极尺寸: 0.5-2.4mm

Complete torch-EURO


Code	Description	Pack
IOK6306-36	Torch sintig 24F 8m M12x1 焊枪/单开关/TIG24FX/8m/M12x1	1
IOK6906-36	Torch sintig 24F 4m M12x1 焊枪/单开关/TIG24FX/4m/M12x1	1
IOK7306-36	Torch dubtig 24F 8m M12x1 焊枪/双开关/TIG24FX/8m/M12x1	1
IOK7906-36	Torch dubtig 24F 4m M12x1 焊枪/双开关/TIG24FX/4m/M12x1	1
IOV6306-36	Torch sintig 24 8m M12x1 焊枪/单开关/TIG24/8m/M12x1	1
IOV6906-36	Torch sintig 24 4m M12x1 焊枪/单开关/TIG24/4m/M12x1	1
IOV7306-36	Torch dubtig 24 8m M12x1 焊枪/双开关/TIG24/8m/M12x1	1
IOV7906-36	Torch dubtig 24 4m M12x1 焊枪/双开关/TIG24/4m/M12x1	1

Complete torch-UK

Code	Description	Pack
IOK6307-36	Torch sintig 24F 8m 3/8G 焊枪/单开关/TIG24FX/8m/3/8G	1
IOK6907-36	Torch sintig 24F 4m 3/8G 焊枪/单开关/TIG24FX/4m/3/8G	1
IOK7307-36	Torch dubtig 24F 8m 3/8G 焊枪/双开关/TIG24FX/8m/3/8G	1
IOK7907-36	Torch dubtig 247F 4m 3/8G 焊枪/双开关/TIG24FX/4m/3/8G	1
IOV6307-36	Torch sintig 24 8m 3/8G 焊枪/单开关/TIG24/8m/3/8G	1
IOV6907-36	Torch sintig 24 4m 3/8G 焊枪/单开关/TIG24/4m/3/8G	1
IOV7307-36	Torch dubtig 24 8m 3/8G 焊枪/双开关/TIG24/8m/3/8G	1
IOV7907-36	Torch dubtig 24 4m 3/8G 焊枪/双开关/TIG24/4m/3/8G	1

Complete torch-EURO

Code	Description	Pack
IOK7106-36	Torch four switches 24F 4m M12x1/leather 焊枪/四开关/TIG24FX/4m/M12x1/皮护套	1
IOK7406-36	Torch dubtig 24F 8m M12x1/leather 焊枪/双开关/TIG24FX/8m/M12x1/皮护套	1
IOK7506-36	Torch dubtig 24F 4m M12x1/leather 焊枪/双开关/TIG24FX/4m/M12x1/皮护套	1
IOK8006-36	Torch four switches 24F 8m M12x1/leather 焊枪/四开关/TIG24FX/8m/M12x1/皮护套	1
IOV7106-36	Torch four switches 24 4m M12x1/leather 焊枪/四开关/TIG24/4m/M12x1/皮护套	1
IOV7406-36	Torch dubtig 24 8m M12x1/leather 焊枪/双开关/TIG24/8m/M12x1/皮护套	1
IOV7506-36	Torch dubtig 24 4m M12x1/leather 焊枪/双开关/TIG24/4m/M12x1/皮护套	1
IOV8006-36	Torch four switches 24 8m M12x1/leather 焊枪/四开关/TIG24/8m/M12x1/皮护套	1



Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解, 请见封面内页 (公司简介)

TIG TORCH 24W



Technical data 技术参数
Cooling: Water Cooled 冷却方式: 水冷
Duty100%DC: 180AMP 直流100%暂载率: 180AMP
Duty100%AC: 120AMP 交流100%暂载率: 120AMP
Electrode Size: 0.5-2.4mm 电极尺寸: 0.5-2.4mm

Complete torch-EURO


Code	Description	Pack
IOA6306-36	Torch sintig 24WF 8m M12x1 焊枪/单开关/TIG24W FX/8m/M12x1	1
IOA6906-36	Torch sintig 24WF 4m M12x1 焊枪/单开关/TIG24W FX/4m/M12x1	1
IOA7306-36	Torch dubtig 24WF 8m M12x1 焊枪/双开关/TIG24W FX/8m/M12x1	1
IOA7906-36	Torch dubtig 24WF 4m M12x1 焊枪/双开关/TIG24W FX/4m/M12x1	1
IOX6306-36	Torch sintig 24W 8m M12x1 焊枪/单开关/TIG24W/8m/M12x1	1
IOX6906-36	Torch sintig 24W 4m M12x1 焊枪/单开关/TIG24W/4m/M12x1	1
IOX7306-36	Torch dubtig 24W 8m M12x1 焊枪/双开关/TIG24W/8m/M12x1	1
IOX7906-36	Torch dubtig 24W 4m M12x1 焊枪/双开关/TIG24W/4m/M12x1	1

Complete torch-UK

Code	Description	Pack
IOA6307-36	Torch sintig 24WF 8m 3/8G 焊枪/单开关/TIG24W FX/8m/3/8G	1
IOA6907-36	Torch sintig 24WF 4m 3/8G 焊枪/单开关/TIG24W FX/4m/3/8G	1
IOA7307-36	Torch dubtig 24WF 8m 3/8G 焊枪/双开关/TIG24W FX/8m/3/8G	1
IOA7907-36	Torch dubtig 247WF 4m 3/8G 焊枪/双开关/TIG24W FX/4m/3/8G	1
IOX6307-36	Torch sintig 24W 8m 3/8G 焊枪/单开关/TIG24W/8m/3/8G	1
IOX6907-36	Torch sintig 24W 4m 3/8G 焊枪/单开关/TIG24W/4m/3/8G	1
IOX7307-36	Torch dubtig 24W 8m 3/8G 焊枪/双开关/TIG24W/8m/3/8G	1
IOX7907-36	Torch dubtig 24W 4m 3/8G 焊枪/双开关/TIG24W/4m/3/8G	1

Complete torch-EURO

Code	Description	Pack
IOA7106-36	Torch four switches 24W 4m M12x1/leather 焊枪/四开关/TIG24W/4m/M12x1/皮护套	1
IOA7406-36	Torch dubtig 24W 8m M12x1/leather 焊枪/双开关/TIG24W/8m/M12x1/皮护套	1
IOA7506-36	Torch dubtig 24W 4m M12x1/leather 焊枪/双开关/TIG24W/4m/M12x1/皮护套	1
IOA8006-36	Torch four switches 24W 8m M12x1/leather 焊枪/四开关/TIG24W/8m/M12x1/皮护套	1




Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解, 请见封面内页 (公司简介)

TIG TORCH 25



Technical data

Cooling: Water Cooled	冷却方式: 水冷
Duty100%DC: 250AMP	直流100%暂载率: 250AMP
Duty100%AC: 220AMP	交流100%暂载率: 220AMP
Electrode Size: 0.5-3.2mm	电极尺寸: 0.5-3.2mm



Complete torch-EURO

Code	Description	Pack
IOJ6306-36	Torch sintig 25 8m M12x1 焊枪/单开关/TIG25/8m/M12x1	1
IOJ6906-36	Torch sintig 25 4m M12x1 焊枪/单开关/TIG25/4m/M12x1	1
IOJ7306-36	Torch dubtig 25 8m M12x1 焊枪/双开关/TIG25/8m/M12x1	1
IOJ7906-36	Torch dubtig 25 4m M12x1 焊枪/双开关/TIG25/4m/M12x1	1

Complete torch-UK

Code	Description	Pack
IOJ6307-36	Torch sintig 25 8m 3/8G 焊枪/单开关/TIG25/8m/3/8G	1
IOJ6907-36	Torch sintig 25 4m 3/8G 焊枪/单开关/TIG25/4m/3/8G	1
IOJ7307-36	Torch dubtig 25 8m 3/8G 焊枪/双开关/TIG25/8m/3/8G	1
IOJ7907-36	Torch dubtig 25 4m 3/8G 焊枪/双开关/TIG25/4m/3/8G	1

Complete torch-EURO

Code	Description	Pack
IOJ7106-36	Torch four switches 25 4m M12x1/leather 焊枪/四开关/TIG25/4m/M12x1/皮护套	1
IOJ7406-36	Torch dubtig 25 8m M12x1/leather 焊枪/双开关/TIG25/8m/M12x1/皮护套	1
IOJ7506-36	Torch dubtig 25 4m M12x1/leather 焊枪/双开关/TIG25/4m/M12x1/皮护套	1
IOJ8006-36	Torch four switches 25 8m M12x1/leather 焊枪/四开关/TIG25/8m/M12x1/皮护套	1

TIG TORCH 26



Technical data

Cooling: Gas Cooled	冷却方式: 气冷
Duty35%DC: 180AMP	直流35%暂载率: 180AMP
Duty35%AC: 150AMP	交流35%暂载率: 150AMP
Electrode Size: 0.5-4mm	电极尺寸: 0.5-4mm



Complete torch-EURO

Code	Description	Pack
IOR6306-36	Torch sintig 26F 8m M12x1 焊枪/单开关/TIG26FX/8m/M12x1	1
IOR6906-36	Torch sintig 26F 4m M12x1 焊枪/单开关/TIG26FX/4m/M12x1	1
IOR7306-36	Torch dubtig 26F 8m M12x1 焊枪/双开关/TIG26FX/8m/M12x1	1
IOR7906-36	Torch dubtig 26F 4m M12x1 焊枪/双开关/TIG26FX/4m/M12x1	1
IOW6306-36	Torch sintig 26 8m M12x1 焊枪/单开关/TIG26/8m/M12x1	1
IOW6906-36	Torch sintig 26 4m M12x1 焊枪/单开关/TIG26/4m/M12x1	1
IOW7306-36	Torch dubtig 26 8m M12x1 焊枪/双开关/TIG26/8m/M12x1	1
IOW7906-36	Torch dubtig 26 4m M12x1 焊枪/双开关/TIG26/4m/M12x1	1


Complete torch-UK

Code	Description	Pack
IOR6307-36	Torch sintig 26F 8m 3/8G 焊枪/单开关/TIG26FX/8m/3/8G	1
IOR6907-36	Torch sintig 26F 4m 3/8G 焊枪/单开关/TIG26FX/4m/3/8G	1
IOR7307-36	Torch dubtig 26F 8m 3/8G 焊枪/双开关/TIG26FX/8m/3/8G	1
IOR7907-36	Torch dubtig 26F 4m 3/8G 焊枪/双开关/TIG26FX/4m/3/8G	1
IOW6307-36	Torch sintig 26 8m 3/8G 焊枪/单开关/TIG26/8m/3/8G	1
IOW6907-36	Torch sintig 26 4m 3/8G 焊枪/单开关/TIG26/4m/3/8G	1
IOW7307-36	Torch dubtig 26 8m 3/8G 焊枪/双开关/TIG26/8m/3/8G	1
IOW7907-36	Torch dubtig 26 4m 3/8G 焊枪/双开关/TIG26/4m/3/8G	1

Complete torch-USA


Code	Description	Pack
IOR6372-36	Torch sintig 26F 8m 5/8-18UNF 焊枪/单开关/TIG26FX/8m/5/8-18UNF	1
IOR6972-36	Torch sintig 26F 4m 5/8-18UNF 焊枪/单开关/TIG26FX/4m/5/8-18UNF	1
IOR7372-36	Torch dubtig 26F 8m 5/8-18UNF 焊枪/双开关/TIG26FX/8m/5/8-18UNF	1
IOR7972-36	Torch dubtig 26F 4m 5/8-18UNF 焊枪/双开关/TIG26FX/4m/5/8-18UNF	1
IOW6372-36	Torch sintig 26 8m 5/8-18UNF 焊枪/单开关/TIG26/8m/5/8-18UNF	1
IOW6972-36	Torch sintig 26 4m 5/8-18UNF 焊枪/单开关/TIG26/4m/5/8-18UNF	1
IOW7372-36	Torch dubtig 26 8m 5/8-18UNF 焊枪/双开关/TIG26/8m/5/8-18UNF	1
IOW7972-36	Torch dubtig 26 4m 5/8-18UNF 焊枪/双开关/TIG26/4m/5/8-18UNF	1

TIG TORCH 26



Complete torch-EURO

Code	Description	Pack
IOR7106-36	Torch four switches 26F 4m M12x1/leather 焊枪/四开关/TIG26FX/4m/M12x1/皮护套	1
IOR7406-36	Torch dubtig 26F 8m M12x1/leather 焊枪/双开关/TIG26FX/8m/M12x1/皮护套	1
IOR7506-36	Torch dubtig 26F 4m M12x1/leather 焊枪/双开关/TIG26FX/4m/M12x1/皮护套	1
IOR8006-36	Torch four switches 26F 8m M12x1/leather 焊枪/四开关/TIG26FX/8m/M12x1/皮护套	1
IOW7106-36	Torch four switches 26 4m M12x1/leather 焊枪/四开关/TIG26/4m/M12x1/皮护套	1
IOW7406-36	Torch dubtig 26 8m M12x1/leather 焊枪/双开关/TIG26/8m/M12x1/皮护套	1
IOW7506-36	Torch dubtig 26 4m M12x1/leather 焊枪/双开关/TIG26/4m/M12x1/皮护套	1
IOW8006-36	Torch four switches 26 8m M12x1/leather 焊枪/四开关/TIG26/8m/M12x1/皮护套	1



Complete torch-EURO

Code	Description	Pack
IOC9306-00	Torch TIG26V 8m M12x1 焊枪/TIG26V/8m/M12x1	1
IOC9906-00	Torch TIG26V 4m M12x1 焊枪/TIG26V/4m/M12x1	1
IOD9306-00	Torch auto TIG26 8m M12x1 自动焊枪/TIG26/8m/M12x1	1
IOD9906-00	Torch auto TIG26 4m M12x1 自动焊枪/TIG26/4m/M12x1	1

Complete torch-UK

Code	Description	Pack
IOC9307-00	Torch TIG26V 8m 3/8G 焊枪/TIG26V/8m/3/8G	1
IOC9907-00	Torch TIG26 4m 3/8G 焊枪/TIG26V/4m/3/8G	1
IOD9307-00	Torch auto TIG26 8m 3/8G 自动焊枪/TIG26/8m/3/8G	1
IOD9907-00	Torch auto TIG26 4m 3/8G 自动焊枪/TIG26/4m/3/8G	1

TIG TORCH 150



Complete torch-EURO


Code	Description	Pack
IOE6305	TORCH TIG150/8M M16x1.5 焊枪/TIG150/8M M16x1.5	1
IOE6365	TORCH TIG150/8M/6mmq M16x1.5 焊枪/TIG150/8M/6mmq M16x1.5	1
IOE6375	TORCH TIG150/8M/8mmq M16x1.5 焊枪/TIG150/8M/8mmq M16x1.5	1
IOE6905	TORCH TIG150/4M M16x1.5 焊枪/TIG150/4M M16x1.5	1
IOE6965	TORCH TIG150/4M/6mmq M16x1.5 焊枪/TIG150/4M/6mmq M16x1.5	1
IOE6975	TORCH TIG150/4M/8mmq M16x1.5 焊枪/TIG150/4M/8mmq M16x1.5	1

Technical data

Cooling: Gas Cooled
Duty35%DC: 80AMP
Duty35%AC: 65AMP
Electrode Size: 1.6-2.0mm

技术参数

冷却方式: 气冷
直流35%暂载率: 80AMP
交流35%暂载率: 65AMP
电极尺寸: 1. 6-2. 0mm



Consumables TIG 150 易损件


Code	Description	Pack
IGZ0003	Torch Head TIG150 枪头 TIG150	10
IHJ0052	Short Back Cap TIG150 短柄帽 TIG150	10
IHJ0059	Long Back Cap TIG150 长柄帽 TIG150	10
IGU0001-16	Collet ø1.6 TIG150 电极夹ø1.6 TIG150	10
IGU0001-20	Collet ø2.0 TIG150 电极夹ø2.0 TIG150	10
IGF0064	Collet Body TIG150 电极夹座 TIG150	10
IGS0051	Alumina Cup GR6 TIG150 陶瓷喷嘴GR4 TIG150	10
IGS0052	Alumina Cup GR6 TIG150 陶瓷喷嘴GR5 TIG150	10
IGS0053	Alumina Cup GR6 TIG150 陶瓷喷嘴GR6 TIG150	10

Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解, 请见封面内页 (公司简介)

Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解, 请见封面内页 (公司简介)

CONSUMABLES TIG 9-20-24-25

易损件



Code	Ref.	Description	Pack
IGF0005-05	45V41	Collet body gas lens Φ 0.5mm TIG24-24W 气塞连接体 Φ 0.5mm/TIG24-24W	10
IGF0005-10	45V42	Collet body gas lens Φ 1.0mm TIG24-24W 气塞连接体 Φ 1.0mm/TIG24-24W	10
IGF0005-16	45V43	Collet body gas lens Φ 1.6mm TIG24-24W 气塞连接体 Φ 1.6mm/TIG24-24W	10
IGF0005-20	70058	Collet body gas lens Φ 2.0mm TIG24-24W 气塞连接体 Φ 2.0mm/TIG24-24W	10
IGF0005-24	45V44	Collet body gas lens Φ 2.4mm TIG24-24W 气塞连接体 Φ 2.4mm/TIG24-24W	10
IGF0005-32	45V45	Collet body gas lens Φ 3.2mm TIG24-24W 气塞连接体 Φ 3.2mm/TIG24-24W	10
IGF0008-05	13N25	Collet body Φ 0.5mm TIG9-20-25 电极夹座 Φ 0.5mm/TIG9-20-25	10
IGF0008-10	13N26	Collet body Φ 1.0mm TIG9-20-25 电极夹座 Φ 1.0mm/TIG9-20-25	10

Code	Ref.	Description	Pack
IGF0008-12	701.0276	Collet body Φ 1.2mm TIG9-20-25 电极夹座 Φ 1.2mm/TIG9-20-25	10
IGF0008-16	13N27	Collet body Φ 1.6mm TIG9-20-25 电极夹座 Φ 1.6mm/TIG9-20-25	10
IGF0008-20	70067WT	Collet body Φ 2.0mm TIG9-20-25 电极夹座 Φ 2.0mm/TIG9-20-25	10
IGF0008-24	13N28	Collet body Φ 2.4mm TIG9-20-25 电极夹座 Φ 2.4mm/TIG9-20-25	10
IGF0008-32	13N29	Collet body Φ 3.2mm TIG9-20-25 电极夹座 Φ 3.2mm/TIG9-20-25	10
IGF0009-05	53N17	Collet body Φ 0.5mm TIG24-24W 电极夹座 Φ 0.5mm/TIG24-24W	10
IGF0009-10	53N18	Collet body Φ 1.0mm TIG24-24W 电极夹座 Φ 1.0mm/TIG24-24W	10
IGF0009-16	53N19	Collet body Φ 1.6mm TIG24-24W 电极夹座 Φ 1.6mm/TIG24-24W	10

Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解,请见封面内页(公司简介)

CONSUMABLES TIG 9-20-24-25

易损件



Code	Ref.	Description	Pack
IGF0009-24	24CB332	Collet body Φ 2.4mm TIG24-24W 电极夹座 Φ 2.4mm/TIG24-24W	10
IGF0060-10	45V0204S	Extra large gas lens Φ 1.0mm TIG9-20-25 加大气塞连接体 Φ 1.0mm/TIG9-20-25	10
IGF0060-16	45V116S	Extra large gas lens Φ 1.6mm TIG9-20-25 加大气塞连接体 Φ 1.6mm/TIG9-20-25	10
IGF0060-24	45V64S	Extra large gas lens Φ 2.4mm TIG9-20-25 加大气塞连接体 Φ 2.4mm/TIG9-20-25	10
IGF0060-32	995795S	Extra large gas lens Φ 3.2mm TIG9-20-25 加大气塞连接体 Φ 3.2mm/TIG9-20-25	10
IGF0060-40	45V63S	Extra large gas lens Φ 4.0mm TIG9-20-25 加大气塞连接体 Φ 4.0mm/TIG9-20-25	10
IGK0006	598882	Insulator torch body TIG9-20-25 枪头绝缘帽/TIG9-20-25	10
IGK0009	53N22	Insulator torch body TIG24-24W 枪头绝缘帽/TIG24-24W	10
IGK0066	54N63-20	Large gas lens insulator torch body TIG9-20 加大枪头绝缘帽/TIG9-20	10
IGK0079	53N66	Large gas lens insulator torch body TIG24-24W 加大枪头绝缘帽/TIG24-24W	10
IGS0020	57N75	Alumina cup gas lens XL GR6 加大陶瓷喷嘴 GR6	10
IGS0026	57N74	Alumina cup gas lens XL GR8 加大陶瓷喷嘴 GR8	10
IGS0027	53N88	Alumina cup gas lens XL GR10 加大陶瓷喷嘴 GR10	10
IGS0028	53N87	Alumina cup gas lens XL GR12 加大陶瓷喷嘴 GR12	10
IGS0029	53N89	Alumina cup gas lens XL GR15 加大陶瓷喷嘴 GR15	10
IGS0041	796F71	Alumina cup GR4L TIG9-20-25 陶瓷喷嘴 GR4L/TIG9-20-25	10
IGS0042	796F72	Alumina cup GR5L TIG9-20-25 陶瓷喷嘴 GR5L/TIG9-20-25	10
IGS0043	796F73	Alumina cup GR6L TIG9-20-25 陶瓷喷嘴 GR6L/TIG9-20-25	10
IGS0045	796F70	Alumina cup GR3L TIG9-20-25 陶瓷喷嘴 GR3L/TIG9-20-25	10
IGS0050	53N61SXL	Alumina cup gas lens GR8 TIG24-24W 陶瓷喷嘴 GR8/TIG24-24W	10
IGS0055	53N61SL	Alumina cup gas lens GR8 TIG24-24W 陶瓷喷嘴 GR8/TIG24-24W	10
IGS0056	53N58L	Alumina cup gas lens GR4 TIG24-24W 陶瓷喷嘴 GR4/TIG24-24W	10
IGS0057	53N59L	Alumina cup gas lens GR5 TIG24-24W 陶瓷喷嘴 GR5/TIG24-24W	10
IGS0058	53N60L	Alumina cup gas lens GR6 TIG24-24W 陶瓷喷嘴 GR6/TIG24-24W	10
IGS0059	53N61L	Alumina cup gas lens GR7 TIG24-24W 陶瓷喷嘴 GR7/TIG24-24W	10
IGS0061	13N12	Alumina cup GR8 TIG9-20-25 陶瓷喷嘴 GR8/TIG9-20-25	10
IGS0062	13N13	Alumina cup GR10 TIG9-20-25 陶瓷喷嘴 GR10/TIG9-20-25	10
IGS0065	13N11	Alumina cup GR7 TIG9-20-25 陶瓷喷嘴 GR7/TIG9-20-25	10
IGS0067	13N08	Alumina cup GR4 TIG9-20-25 陶瓷喷嘴 GR4/TIG9-20-25	10
IGS0068	13N09	Alumina cup GR5 TIG9-20-25 陶瓷喷嘴 GR5/TIG9-20-25	10
IGS0069	13N10	Alumina cup GR6 TIG9-20-25 陶瓷喷嘴 GR6/TIG9-20-25	10
IGS0076	53N23	Alumina cup GR3 TIG24-24W 陶瓷喷嘴 GR3/TIG24-24W	10
IGS0077	53N24	Alumina cup GR4 TIG24-24W 陶瓷喷嘴 GR4/TIG24-24W	10
IGS0078	53N25	Alumina cup GR5 TIG24-24W 陶瓷喷嘴 GR5/TIG24-24W	10
IGS0079	53N27	Alumina cup GR6 TIG24-24W 陶瓷喷嘴 GR6/TIG24-24W	10
IGS0091	53N58XL	Alumina cup gas lens GR4 TIG24-24W 陶瓷喷嘴 GR4/TIG24-24W	10
IGS0092	53N59XL	Alumina cup gas lens GR5 TIG24-24W 陶瓷喷嘴 GR5/TIG24-24W	10
IGS0093	53N60XL	Alumina cup gas lens GR6 TIG24-24W 陶瓷喷嘴 GR6/TIG24-24W	10


Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解,请见封面内页(公司简介)

Code	Ref.	Description	Pack
IGS0094	53N61XL	Alumina cup gas lens GR7 TIG24-24W 陶瓷喷嘴 GR7/TIG24-24W	10
IGS0095	53N61S	Alumina cup gas lens GR8 TIG24-24W 陶瓷喷嘴 GR8/TIG24-24W	10
IGS0096	53N58	Alumina cup gas lens GR4 TIG24-24W 陶瓷喷嘴 GR4/TIG24-24W	10
IGS0097	53N59	Alumina cup gas lens GR5 TIG24-24W 陶瓷喷嘴 GR5/TIG24-24W	10
IGS0098	53N60	Alumina cup gas lens GR6 TIG24-24W 陶瓷喷嘴 GR6/TIG24-24W	10
IGS0099	53N61	Alumina cup gas lens GR7 TIG24-24W 陶瓷喷嘴 GR7/TIG24-24W	10
IGS0600	796F74	Alumina cup GR3XL TIG9-20-25 陶瓷喷嘴 GR3XL/TIG9-20-25	10
IGS0606	796F75	Alumina cup GR4XL TIG9-20-25 陶瓷喷嘴 GR4XL/TIG9-20-25	10
IGS0607	796F76	Alumina cup GR5XL TIG9-20-25 陶瓷喷嘴 GR5XL/TIG9-20-25	10
IGS0608	796F79	Alumina cup GR4XXL TIG9-20-25 陶瓷喷嘴 GR4XXL/TIG9-20-25	10
IGS0609	796F77	Alumina cup GR6XL TIG9-20-25 陶瓷喷嘴 GR6XL/TIG9-20-25	10
IGU0005-05	53N62	Collet Φ 0.5mm gas lens TIG24-24W 电极夹 Φ 0.5mm/TIG24-24W	10
IGU0005-10	53N63	Collet Φ 1.0mm gas lens TIG24-24W 电极夹 Φ 1.0mm/TIG24-24W	10
IGU0005-16	53N64	Collet Φ 1.6mm gas lens TIG24-24W 电极夹 Φ 1.6mm/TIG24-24W	10
IGU0005-24	24GLC332	Collet Φ 2.4mm gas lens TIG24-24W 电极夹 Φ 2.4mm/TIG24-24W	10
IGU0008-05	13N20	Collet Φ 0.5mm TIG9-20-25 电极夹 Φ 0.5mm/TIG9-20-25	10
IGU0008-10	13N21	Collet Φ 1.0mm TIG9-20-25 电极夹 Φ 1.0mm/TIG9-20-25	10
IGU0008-12	701.0254	Collet Φ 1.2mm TIG9-20-25 电极夹 Φ 1.2mm/TIG9-20-25	10
IGU0008-16	13N22	Collet Φ 1.6mm TIG9-20-25 电极夹 Φ 1.6mm/TIG9-20-25	10
IGU0008-20	70066WT	Collet Φ 2.0mm TIG9-20-25 电极夹 Φ 2.0mm/TIG9-20-25	10
IGU0008-24	13N23	Collet Φ 2.4mm TIG9-20-25 电极夹 Φ 2.4mm/TIG9-20-25	10
IGU0008-32	13N24	Collet Φ 3.2mm TIG9-20-25 电极夹 Φ 3.2mm/TIG9-20-25	10
IGU0009-05	53N15	Collet Φ 0.5mm TIG24-24W 电极夹 Φ 0.5mm/TIG24-24W	10
IGU0009-10	53N16	Collet Φ 1.0mm TIG24-24W 电极夹 Φ 1.0mm/TIG24-24W	10
IGU0009-16	53N14	Collet Φ 1.6mm TIG24-24W 电极夹 Φ 1.6mm/TIG24-24W	10
IGU0009-24	24GLC332	Collet Φ 2.4mm TIG24-24W 电极夹 Φ 2.4mm/TIG24-24W	10
IGU0033-05	13N20L	Collet Φ 0.5mm TIG9-20 电极夹 Φ 0.5mm/TIG9-20	10
IGU0033-10	13N21L	Collet Φ 1.0mm TIG9-20 电极夹 Φ 1.0mm/TIG9-20	10
IGU0033-16	13N22L	Collet Φ 1.6mm TIG9-20 电极夹 Φ 1.6mm/TIG9-20	10
IGU0033-20	13N23ML	Collet Φ 2.0mm TIG9-20 电极夹 Φ 2.0mm/TIG9-20	10
IGU0033-24	13N23L	Collet Φ 2.4mm TIG9-20 电极夹 Φ 2.4mm/TIG9-20	10
IGU0033-32	13N24L	Collet Φ 3.2mm TIG9-20 电极夹 Φ 3.2mm/TIG9-20	10
IHJ0015	41V33	Short back cap TIG9-20-25 短柄帽/TIG9-20-25	10
IHJ0018	41V24	Long back cap TIG9-20-25 长柄帽/TIG9-20-25	10
IHJ0019	41V35	Medium back cap TIG9-20-25 中柄帽/TIG9-20-25	10

----- 16 -----

CONSUMABLES TIG 17-18-26

易损件



Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解,请见封面内页(公司简介)

CONSUMABLES TIG 17-18-26


易损件



Code	Ref.	Description	Pack	Code	Ref.	Description	Pack
IGF0001-05	45V29	Collet body gas lens Φ 0.5mm TIG17-18-26 气罩连接体 Φ 0.5mm/TIG17-18-26	10	IGS0031	54N17L	Alumina cup gas lens GR5L/TIG17-18-26 陶瓷喷嘴 GR5L/TIG17-18-26	10
IGF0001-10	45V24	Collet body gas lens Φ 1.0mm TIG17-18-26 气罩连接体 Φ 1.0mm/TIG17-18-26	10	IGS0032	54N16L	Alumina cup gas lens GR6L/TIG17-18-26 陶瓷喷嘴 GR6L/TIG17-18-26	10
IGF0001-16	45V25	Collet body gas lens Φ 1.6mm TIG17-18-26 气罩连接体 Φ 1.6mm/TIG17-18-26	10	IGS0033	54N15L	Alumina cup gas lens GR7L/TIG17-18-26 陶瓷喷嘴 GR7L/TIG17-18-26	10
IGF0001-20	70060WT	Collet body gas lens Φ 2.0mm TIG17-18-26 气罩连接体 Φ 2.0mm/TIG17-18-26	10	IGS0034	54N14L	Alumina cup gas lens GR8L/TIG17-18-26 陶瓷喷嘴 GR8L/TIG17-18-26	10
IGF0001-24	45V26	Collet body gas lens Φ 2.4mm TIG17-18-26 气罩连接体 Φ 2.4mm/TIG17-18-26	10	IGS0040	10N50L	Alumina cup GR4L/TIG17-18-26 陶瓷喷嘴 GR4L/TIG17-18-26	10
IGF0001-32	45V27	Collet body gas lens Φ 3.2mm TIG17-18-26 气罩连接体 Φ 3.2mm/TIG17-18-26	10	IGS0046	10N49L	Alumina cup GR5L/TIG17-18-26 陶瓷喷嘴 GR5L/TIG17-18-26	10
IGF0001-40	45V28	Collet body gas lens Φ 4.0mm TIG17-18-26 气罩连接体 Φ 4.0mm/TIG17-18-26	10	IGS0047	10N48L	Alumina cup GR6L/TIG17-18-26 陶瓷喷嘴 GR6L/TIG17-18-26	10
IGF0002-10	45V0204	Collet body large gas lens Φ 1.0mm TIG17-18-26 加大气罩连接体 Φ 1.0mm/TIG17-18-26	10	IGS0048	10N47L	Alumina cup GR7L/TIG17-18-26 陶瓷喷嘴 GR7L/TIG17-18-26	10
IGF0002-16	45V116	Collet body large gas lens Φ 1.6mm TIG17-18-26 加大气罩连接体 Φ 1.6mm/TIG17-18-26	10	IGS0049	10N46L	Alumina cup GR8L/TIG17-18-26 陶瓷喷嘴 GR8L/TIG17-18-26	10
IGF0002-24	45V64	Collet body large gas lens Φ 2.4mm TIG17-18-26 加大气罩连接体 Φ 2.4mm/TIG17-18-26	10	IGS0061	13N12	Alumina cup GR8 TIG9-20-25 陶瓷喷嘴 GR8/TIG9-20-25	10
IGF0002-32	995795	Collet body large gas lens Φ 3.2mm TIG17-18-26 加大气罩连接体 Φ 3.2mm/TIG17-18-26	10	IGS0062	13N13	Alumina cup Gr10 TIG9-20-25 陶瓷喷嘴 GR10/TIG9-20-25	10
IGF0002-40	45V63	Collet body large gas lens Φ 4.0mm TIG17-18-26 加大气罩连接体 Φ 4.0mm/TIG17-18-26	10	IGS0065	13N11	Alumina cup GR7 TIG9-20-25 陶瓷喷嘴 GR7/TIG9-20-25	10
IGF0006-05	10N29	Collet body Φ 0.5mm TIG17-18-26 电极夹座 Φ 0.5mm/TIG17-18-26	10	IGS0067	13N08	Alumina cup GR4 TIG9-20-25 陶瓷喷嘴 GR4/TIG9-20-25	10
IGF0006-10	10N30	Collet body Φ 1.0mm TIG17-18-26 电极夹座 Φ 1.0mm/TIG17-18-26	10	IGS0068	13N09	Alumina cup GR5 TIG9-20-25 陶瓷喷嘴 GR5/TIG9-20-25	10
IGF0006-16	10N31	Collet body Φ 1.6mm TIG17-18-26 电极夹座 Φ 1.6mm/TIG17-18-26	10	IGS0069	13N10	Alumina cup GR6 TIG9-20-25 陶瓷喷嘴 GR6/TIG9-20-25	10
IGF0006-20	70064WT	Collet body Φ 2.0mm TIG17-18-26 电极夹座 Φ 2.0mm/TIG17-18-26	10	IGS0082	54N19	Alumina cup gas lens GR11 TIG17-18-26 陶瓷喷嘴 GR11/TIG17-18-26	10
IGF0006-24	10N32	Collet body Φ 2.4mm TIG17-18-26 电极夹座 Φ 2.4mm/TIG17-18-26	10	IGS0085	54N14	Alumina cup gas lens GR8 TIG17-18-26 陶瓷喷嘴 GR8/TIG17-18-26	10
IGF0006-32	10N28	Collet body Φ 3.2mm TIG17-18-26 电极夹座 Φ 3.2mm/TIG17-18-26	10	IGS0086	54N18	Alumina cup gas lens GR4 TIG17-18-26 陶瓷喷嘴 GR4/TIG17-18-26	10
IGF0006-40	406488	Collet body Φ 4.0mm TIG17-18-26 电极夹座 Φ 4.0mm/TIG17-18-26	10	IGS0087	54N17	Alumina cup gas lens GR5 TIG17-18-26 陶瓷喷嘴 GR5/TIG17-18-26	10
IGF0006-48	30126	Collet body Φ 4.8mm TIG17-18-26 电极夹座 Φ 4.8mm/TIG17-18-26	10	IGS0088	54N16	Alumina cup gas lens GR6 TIG17-18-26 陶瓷喷嘴 GR6/TIG17-18-26	10
IGF0007-16	17CB20	Collet body Φ 24.5mm TIG17-18-26 电极夹座 Φ 24.5mm/TIG17-18-26	10	IGS0089	54N15	Alumina cup gas lens GR7 TIG17-18-26 陶瓷喷嘴 GR7/TIG17-18-26	10
IGK0005	54N63	Large gas lens insulator torch body TIG17-18-26 加大枪头绝缘帽/TIG17-18-26	10	IGU0006-05	10N21	Collet Φ 0.5mm TIG17-18-26 电极夹 Φ 0.5mm/TIG17-18-26	10
IGK0007	18CG	Insulator torch body TIG17-18-26 枪头绝缘帽/TIG17-18-26	10	IGU0006-10	10N22	Collet Φ 1.0mm TIG17-18-26 电极夹 Φ 1.0mm/TIG17-18-26	10
IGK0008	54N01	Insulator torch body gas lens TIG17-18-26 枪头绝缘帽/TIG17-18-26	10	IGU0006-16	10N23	Collet Φ 1.6mm TIG17-18-26 电极夹 Φ 1.6mm/TIG17-18-26	10
IGK0068	18CG20	Insulator torch body gas lens TIG17-18-26 枪头绝缘帽/TIG17-18-26	10	IGU0006-20	10N23M	Collet Φ 2.0mm TIG17-18-26 电极夹 Φ 2.0mm/TIG17-18-26	10
IGS0001	10N46	Alumina cup GR8 TIG17-18-26 陶瓷喷嘴 GR8/TIG17-18-26	10	IGU0006-24	10N24	Collet Φ 2.4mm TIG17-18-26 电极夹 Φ 2.4mm/TIG17-18-26	10
IGS0002	10N45	Alumina cup GR10 TIG17-18-26 陶瓷喷嘴 GR10/TIG17-18-26	10	IGU0006-32	10N25	Collet Φ 3.2mm TIG17-18-26 电极夹 Φ 3.2mm/TIG17-18-26	10
IGS0003	10N44	Alumina cup GR12 TIG17-18-26 陶瓷喷嘴 GR12/TIG17-18-26	10	IGU0006-40	54N20	Collet Φ 4.0mm TIG17-18-26 电极夹 Φ 4.0mm/TIG17-18-26	10
IGS0005	10N47	Alumina cup GR7 TIG17-18-26 陶瓷喷嘴 GR7/TIG17-18-26	10	IGU0007-05	10N21S	Collet Φ 0.5mm TIG17-18-26 电极夹 Φ 0.5mm/TIG17-18-26	10
IGS0007	10N50	Alumina cup GR4 TIG17-18-26 陶瓷喷嘴 GR4/TIG17-18-26	10	IGU0007-10	10N22S	Collet Φ 1.0mm TIG17-18-26 电极夹 Φ 1.0mm/TIG17-18-26	10
IGS0008	10N49	Alumina cup GR5 TIG17-18-26 陶瓷喷嘴 GR5/TIG17-18-26	10	IGU0007-16	10N23S	Collet Φ 1.6mm TIG17-18-26 电极夹 Φ 1.6mm/TIG17-18-26	10
IGS0009	10N48	Alumina cup GR6 TIG17-18-26 陶瓷喷嘴 GR6/TIG17-18-26	10	IGU0007-20	10N23MS	Collet Φ 2.0mm TIG17-18-26 电极夹 Φ 2.0mm/TIG17-18-26	10
IGS0020	57N75	Alumina cup gas lens XL GR6 加大陶瓷喷嘴 GR6	10	IGU0007-24	10N24S	Collet Φ 2.4mm TIG17-18-26 电极夹 Φ 2.4mm/TIG17-18-26	10
IGS0026	57N74	Alumina cup gas lens XL GR8 加大陶瓷喷嘴 GR8	10	IGU0007-32	10N25S	Collet Φ 3.2mm TIG17-18-26 电极夹 Φ 3.2mm/TIG17-18-26	10
IGS0027	53N88	Alumina cup gas lens XL GR10 加大陶瓷喷嘴 GR10	10	IHJ0011	57Y02	Long back cap TIG17-18-26 长柄帽/TIG17-18-26	10
IGS0028	53N87	Alumina cup gas lens XL GR12 加大陶瓷喷嘴 GR12	10	IHJ0012	57Y04	Short back cap TIG17-18-26 短柄帽/TIG17-18-26	10
IGS0029	53N89	Alumina cup gas lens XL GR15 加大陶瓷喷嘴 GR15	10	IHJ0051	57Y03	Medium back cap TIG17-18-26 中柄帽/TIG17-18-26	10

Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解,请见封面内页(公司简介)

CONSUMABLES TIG 12




CONSUMABLES TIG 12



Code	Ref.	Description
IGF0066-16	11GL16	Collet Body gas lens Φ 1.6 TIG12;气塞连接体 Φ 1.6 TIG12
IGF0066-24	11GL32	Collet Body gas lens Φ 2.4 TIG12;气塞连接体 Φ 2.4 TIG12
IGF0066-32	11GL18	Collet Body gas lens Φ 3.2 TIG12;气塞连接体 Φ 3.2 TIG12
IGF0066-40	11GL53	Collet Body gas lens Φ 4.0 TIG12;气塞连接体 Φ 4.0 TIG12
IGF0066-48	11GL36	Collet Body gas lens Φ 4.8 TIG12;气塞连接体 Φ 4.8 TIG12
IGF0067	11WP65	Collet Body(All sizes) TIG12;电极夹座(全尺寸) TIG12
IGI0970	WP-12	Torch body, includes nozzle gasket (70°);枪颈/带绝缘垫圈/70°
IGK0071	12GLG	gas lens insulator TIG12;气塞连接体绝缘帽TIG12
IGK0075	12NG	Nozzle gasket;绝缘垫圈
IGS0020	57N75	Alumina Cup gas lens XL GR6;加大gas lens用陶瓷喷嘴 GR6
IGS0026	57N74	Alumina Cup gas lens XL GR8;加大gas lens用陶瓷喷嘴 GR8
IGS0027	53N88	Alumina Cup gas lens XL GR10;加大gas lens用陶瓷喷嘴 GR10
IGS0028	53N87	Alumina Cup gas lens XL GR12;加大gas lens用陶瓷喷嘴 GR12
IGS0029	53N89	Alumina Cup gas lens XL GR15 short;加大gas lens用陶瓷喷嘴/短款
IGS0681	14N61-10	Alumina cup/GR10 TIG12;陶瓷喷嘴/GR10 TIG12
IGS0682	14N61-12	Alumina cup/GR12 TIG12;陶瓷喷嘴/GR12 TIG12
IGS0683	14N68	Long alumina cup TIG12;加长陶瓷喷嘴 TIG12
IGS0684	14N69	Long alumina cup TIG12;加长陶瓷喷嘴 TIG12
IGS0685	14N61	Alumina cup/GR8 TIG12;陶瓷喷嘴/GR8 TIG12
IGS0686	14N57	Alumina cup/GR4 TIG12;陶瓷喷嘴/GR4 TIG12
IGS0687	14N58	Alumina cup/GR5 TIG12;陶瓷喷嘴/GR5 TIG12
IGS0688	14N59	Alumina cup/GR6 TIG12;陶瓷喷嘴/GR6 TIG12
IGS0689	14N60	Alumina cup/GR7 TIG12;陶瓷喷嘴/GR7 TIG12
IGS0690	14N70	Long alumina cup TIG12;加长陶瓷喷嘴 TIG12
IGS0696	14N71	Long alumina cup TIG12;加长陶瓷喷嘴 TIG12
IGS0697	14N72	Long alumina cup TIG12;加长陶瓷喷嘴 TIG12
IGU0066-16	85Z14	Collet Φ 1.6 TIG12;电极夹 Φ 1.6 TIG12
IGU0066-24	85Z15	Collet Φ 2.4 TIG12;电极夹 Φ 2.4 TIG12
IGU0066-32	85Z16	Collet Φ 3.2 TIG12;电极夹 Φ 3.2 TIG12
IGU0066-40	85Z17	Collet Φ 4.0 TIG12;电极夹 Φ 4.0 TIG12
IGU0066-48	85Z18	Collet Φ 4.8 TIG12;电极夹 Φ 4.8 TIG12
IGU0066-64	85Z19	Collet Φ 6.4 TIG12;电极夹 Φ 6.4 TIG12
IGV0003	85WP13	Handle TIG12;手柄 TIG12
IHJ0678	56Y44	Long back cap, includes O-ring;长柄帽带O型圈
IHJ0679	56Y45	Short back cap, includes O-ring;短柄帽带O型圈

CONSUMABLES TIG 22

易损件



Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解, 请见封面内页 (公司简介)

CONSUMABLES TIG 22

易损件



Code	Ref.	Description
IGF0005-10	45V42	Collet Body gas lens Φ 1.0 TIG22-24-24W;气塞连接体 Φ 1.0 TIG22-24-24W
IGF0005-16	45V43	Collet Body gas lens Φ 1.6 TIG22-24-24W;气塞连接体 Φ 1.6 TIG22-24-24W
IGF0005-24	45V44	Collet Body gas lens Φ 2.4 TIG22-24-24W;气塞连接体 Φ 2.4 TIG22-24-24W
IGF0005-32	45V45	Collet Body gas lens Φ 3.2 TIG22-24-24W;气塞连接体 Φ 3.2 TIG22-24-24W
IGF0008-10	13N26	Collet Body Φ 1.0 TIG9-20-22-25;电极夹座 Φ 1.0 TIG9-20-22-25
IGF0008-16	13N27	Collet Body Φ 1.6 TIG9-20-22-25;电极夹座 Φ 1.6 TIG9-20-22-25
IGF0008-24	13N28	Collet Body Φ 2.4 TIG9-20-22-25;电极夹座 Φ 2.4 TIG9-20-22-25
IGF0008-32	13N29	Collet Body Φ 3.2 TIG9-20-22-25;电极夹座 Φ 3.2 TIG9-20-22-25
IGF0060-10	45V0204S	Extra large gas lens Φ 1.0 TIG9-20-22-25;加大气塞连接体 Φ 1.0 TIG9-20-22-25
IGF0060-16	45V116S	Extra large gas lens Φ 1.6 TIG9-20-22-25;加大气塞连接体 Φ 1.6 TIG9-20-22-25
IGF0060-24	45V64S	Extra large gas lens Φ 2.4 TIG9-20-22-25;加大气塞连接体 Φ 2.4 TIG9-20-22-25
IGF0060-32	995795S	Extra large gas lens Φ 3.2 TIG9-20-22-25;加大气塞连接体 Φ 3.2 TIG9-20-22-25
IGK0072	22-10	Insulator torch body TIG22;枪头绝缘帽 TIG22
IGK0073	54N63-22	Gas lens insulator TIG22;气塞连接体绝缘帽 TIG22
IGS0020	57N75	Alumina Cup gas lens XL GR6;加大gas lens用陶瓷喷嘴 GR6
IGS0026	57N74	Alumina Cup gas lens XL GR8;加大gas lens用陶瓷喷嘴 GR8
IGS0027	53N88	Alumina Cup gas lens XL GR10;加大gas lens用陶瓷喷嘴 GR10
IGS0028	53N87	Alumina Cup gas lens XL GR12;加大gas lens用陶瓷喷嘴 GR12
IGS0029	53N89	Alumina Cup gas lens XL short;加大gas lens用陶瓷喷嘴/短款
IGS0041	796F71	Alumina Cup GR4L TIG9-20-22-25;长陶瓷喷嘴 GR4L TIG9-20-22-25
IGS0042	796F72	Alumina Cup GR5L TIG9-20-22-25;长陶瓷喷嘴 GR5L TIG9-20-22-25
IGS0043	796F73	Alumina Cup GR6L TIG9-20-22-25;长陶瓷喷嘴 GR6L TIG9-20-22-25
IGS0045	796F70	Alumina Cup GR3L TIG9-20-22-25;长陶瓷喷嘴 GR3L TIG9-20-22-25
IGS0061	13N12	Alumina Cup GR8 TIG9-20-22-25;陶瓷喷嘴 GR8 TIG9-20-22-25
IGS0062	13N13	Alumina Cup GR10 TIG9-20-22-25;陶瓷喷嘴 GR10 TIG9-20-22-25
IGS0067	13N08	Alumina Cup GR4 TIG9-20-22-25;陶瓷喷嘴 GR4 TIG9-20-22-25
IGS0068	13N09	Alumina Cup GR5 TIG9-20-22-25;陶瓷喷嘴 GR5 TIG9-20-22-25
IGS0069	13N10	Alumina Cup GR6 TIG9-20-22-25;陶瓷喷嘴 GR6 TIG9-20-22-25
IGS0065	13N11	Alumina Cup GR7 TIG9-20-22-25;陶瓷喷嘴 GR7 TIG9-20-22-25
IGS0095	53N61S	Alumina Cup gas lens GR8 TIG22-24-24W;gas lens用陶瓷喷嘴 GR8 TIG22-24-24W
IGS0096	53N58	Alumina Cup gas lens GR4 TIG22-24-24W;gas lens用陶瓷喷嘴 GR4 TIG22-24-24W
IGS0097	53N59	Alumina Cup gas lens GR5 TIG22-24-24W;gas lens用陶瓷喷嘴 GR5 TIG22-24-24W
IGS0098	53N60	Alumina Cup gas lens GR6 TIG22-24-24W;gas lens用陶瓷喷嘴 GR6 TIG22-24-24W
IGS0099	53N61	Alumina Cup gas lens GR7 TIG22-24-24W;gas lens用陶瓷喷嘴 GR7 TIG22-24-24W
IGS0600	796F74	Alumina Cup GR3 XL TIG9-20-22-25;特长陶瓷喷嘴 GR3XL TIG9-20-22-25
IGS0606	796F75	Alumina Cup GR4 XL TIG9-20-22-25;特长陶瓷喷嘴 GR4XL TIG9-20-22-25
IGS0607	796F76	Alumina Cup GR5 XL TIG9-20-22-25;特长陶瓷喷嘴 GR5XL TIG9-20-22-25
IGS0609	796F77	Alumina Cup GR6 XL TIG9-20-22-25;特长陶瓷喷嘴 GR6XL TIG9-20-22-25
IGU0660-10	22N21AL	Collet Φ 1.0mm TIG22 7";电极夹 Φ 1.0mm/TIG22 7"
IGU0660-16	22N22AL	Collet Φ 1.6mm TIG22 7";电极夹 Φ 1.6mm/TIG22 7"
IGU0660-24	22N23AL	Collet Φ 2.4mm TIG22 7";电极夹 Φ 2.4mm/TIG22 7"
IGU0660-32	22N24AL	Collet Φ 3.2mm TIG22 7";电极夹 Φ 3.2mm/TIG22 7"
IGU0666-10	22N21A	Collet Φ 1.0 TIG22 3";电极夹 Φ 1.0 TIG22 3"
IGU0666-16	22N22A	Collet Φ 1.6 TIG22 3";电极夹 Φ 1.6 TIG22 3"
IGU0666-24	22N23A	Collet Φ 2.4 TIG22 3";电极夹 Φ 2.4 TIG22 3"
IGU0666-32	22N24A	Collet Φ 3.2 TIG22 3";电极夹 Φ 3.2 TIG22 3"
IGZ0980	WP-22A	7" long torch body;7"长枪体
IGZ0986	WP-22B	3" long torch body;3"长枪体
IHJ0677	22-7	Collet knob, includes O-ring;短柄帽带O型圈

Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解, 请见封面内页 (公司简介)

CONSUMABLES TIG 27



Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解,请见封面内页(公司简介)

CONSUMABLES TIG 27

[illegible]

Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解,请见封面内页(公司简介)

气冷电缆组



Tig 26 - 2wires

Threading	L (m)	Code
M12x1	4	IGN0093
	8	IGN0094
3/8G	4	IGN0655
	8	IGN0651

Tig 26 - 4wires

Threading	L (m)	Code
M12x1	4	IGN0618
	8	IGN0619



Tig 26 - 2wires

Tig 26 - 2wires		
Threading	L (m)	Code
M12x1	4	IGN6093
	8	IGN6094

Tig 26 - 4wires

Threading	L (m)	Code
M12x1	4	IGN6618
	8	IGN6619



Tiq 26 - 4wires

Threading	L(m)	Code
M12x1	4	IGN7628
	8	IGN7629

Tig. 26 - 6wires

Threading	L(m)	Code
M12x1	4	IGN7618
	8	IGN7619

For more information on the model of the machine and spare parts, please see inner cover (company introduction).
注:关于注册商标、机器及配件的参考编号的注解,请见封面内页(公司简介)

气冷电缆



Threading	L (m)	Code
M12x1	4	IGN0002
	8	IGN0003
3/8G	4	IGN0656
	8	IGN0657



TIG 26

Threading	L(m)	Code
M12x1	4	IGN0002-0
	8	IGN0003-0

TIG 9/17/24 - 3/8-24RH
TIG 26 - 7/8-14RH

TIG 26	
L (m)	Code
4	IGN067
8	IGN009

5/8-18RH

TIG 26	
L (m)	Code
4	IGN005
8	IGN005



5/8-18RH

TIG 26	
L (m)	Code
4	IGN005
8	IGN005





and spare parts, please see inner cover (company introduction)

WATER COOLING CABLES

水冷电缆组



COMPLETE CABLE



Code	Ref.	Description	Pack
IGN0015		Complete outer cover 8m M12x1 TIG20/2 control wires 电缆组 8m M12x1/TIG20/二芯控制线	1
IGN0017		Complete outer cover 4m M12x1 TIG18/2 control wires 电缆组 4m M12x1/TIG18/二芯控制线	1
IGN0018		Complete outer cover 8m M12x1 TIG18/2 control wires 电缆组 8m M12x1/TIG18/二芯控制线	1
IGN0019		Complete outer cover 4m M12x1 TIG20/2 control wires 电缆组 4m M12x1/TIG20/二芯控制线	1
IGN6611		Complete outer cover 8m M12x1 TIG18/4 control wires/leather cover 电缆组 8m M12x1/TIG18/四芯控制线/皮护套	1
IGN6612		Complete outer cover 4m M12x1 TIG 20/4 control wires/leather cover 电缆组 4m M12x1/TIG20/四芯控制线/皮护套	1
IGN6613		Complete outer cover 8m M12x1 TIG 20/4 control wires/leather cover 电缆组 8m M12x1/TIG20/四芯控制线/皮护套	1
IGN6615		Complete outer cover 4m M12x1 TIG18/4 control wires/leather cover 电缆组 4m M12x1/TIG18/四芯控制线/皮护套	1
IGN7611		Complete outer cover 8m M12x1 TIG18/6 control wires/leather cover/silicon 电缆组 8m M12x1/TIG18/六芯控制线/皮护套/硅胶管	1
IGN7612		Complete outer cover 4m M12x1 TIG20/6 control wires/leather cover/silicon 电缆组 4m M12x1/TIG20/六芯控制线/皮护套/硅胶管	1
IGN7613		Complete outer cover 8m M12x1 TIG20/6 control wires/leather cover/silicon 电缆组 8m M12x1/TIG20/六芯控制线/皮护套/硅胶管	1
IGN7615		Complete outer cover 4m M12x1 TIG18/6 control wires/leather cover/silicon 电缆组 4m M12x1/TIG18/六芯控制线/皮护套/硅胶管	1
IGN7621		Complete outer cover 8m M12x1 TIG18/2 control wires/leather cover/silicon 电缆组 8m M12x1/TIG18/二芯控制线/皮护套/硅胶管	1
IGN7622		Complete outer cover 4m M12x1 TIG20/2 control wires/leather cover/silicon 电缆组 4m M12x1/TIG20/二芯控制线/皮护套/硅胶管	1
IGN7623		Complete outer cover 8m M12x1 TIG20/2 control wires/leather cover/silicon 电缆组 8m M12x1/TIG20/二芯控制线/皮护套/硅胶管	1
IGN7625		Complete outer cover 4m M12x1 TIG18/2 control wires/leather cover/silicon 电缆组 4m M12x1/TIG18/二芯控制线/皮护套/硅胶管	1

CABLES 电缆



GAS CABLE

Threading	L (m)	Code
1/4G	4	IGN0041
	8	IGN0042

WATER CABLE

Threading	L (m)	Code
3/8G	4	IGN0609
	8	IGN0605


POWER CABLE

Threading	L (m)	Code
M12x1	4	IGN0037
	8	IGN0038

Code	Ref.	Description	Pack
IGN0020		Water tube 4m TIG18 USA 水管 4m/TIG18/美式	1
IGN0025		Gas tube 8m TIG18-20 USA 气管 8m/TIG18-20/美式	1
IGN0026		Water tube 8m TIG18 USA 水管 8m/TIG18/美式	1
IGN0027		Water tube 4m TIG20 USA 水管 4m/TIG20/美式	1
IGN0028		Water tube 8m TIG20 USA 水管 8m/TIG20/美式	1
IGN0029		Gas tube 4m TIG18-20 USA 气管 4m/TIG18-20/美式	1
IGN0031		Power cable 4m M12x1 TIG20 水电缆 4m/M12x1/TIG20	1
IGN0031-01		Power cable 4m M12x1 TIG20/silicon 水电缆 4m/M12x1/TIG20/硅胶管	1
IGN0032		Power cable 8m M12x1 TIG20 水电缆 8m/M12x1/TIG20	1
IGN0032-01		Power cable 8m M12x1 TIG20/silicon 水电缆 8m/M12x1/TIG20/硅胶管	1
IGN0037		Power cable 4m M12x1 TIG18 水电缆 4m/M12x1/TIG18	1
IGN0037-01		Power cable 4m M12x1 TIG18/silicon 水电缆 4m/M12x1/TIG18/硅胶管	1
IGN0038		Power cable 8m M12x1 TIG18 水电缆 8m/M12x1/TIG18	1
IGN0038-01		Power cable 8m M12x1 TIG18/silicon 水电缆 8m/M12x1/TIG18/硅胶管	1
IGN0041		Gas tube 4m 1/4G 气管 4m 1/4G	1
IGN0042		Gas tube 8m 1/4G 气管 8m 1/4G	1
IGN0083		Power cable 4m TIG18 USA 水电管 4m/TIG18/美式	1
IGN0096		Power cable 8m TIG18 USA 水电管 8m/TIG18/美式	1
IGN0601		Water tube 4m 3/8G TIG20 水管 4m 3/8G/TIG20	1
IGN0602		Water tube 8m 3/8G TIG20 水管 8m 3/8G/TIG20	1
IGN0605		Water tube 8m 3/8G TIG18 水管 8m 3/8G/TIG18	1
IGN0609		Water tube 4m 3/8G TIG18 水管 4m 3/8G/TIG18	1
IGN0672		Power cable 4m TIG20 USA 水电管/4m/TIG20/美式	1
IGN0673		Power cable 8m TIG20 USA 水电管/8m/TIG20/美式	1

PLUGS & FITTINGS

接头



Code	Description	Pack
ITY0016	Cable connector 8mmq/9mm F M12x1 铜绞线接头 8mmq/9mm F M12x1	10
ITY0018	Cable connector 8mmq/9mm F M14x1.5 铜绞线接头 8mmq/9mm F M14x1.5	10
ITY0052	Cable connector 16mmq/9mm F M16x1.5 铜绞线接头 16mmq/9mm F M16x1.5	10
ITY0053	Cable connector 25mmq/10mm F M16x1.5 铜绞线接头 25mmq/10mm F M16x1.5	10
ITY0056	Cable connector 16mmq/9mm F M10x1 铜绞线接头 16mmq/9mm F M10x1	10
ITY3000	BRAID CONNECTOR; 铜绞线接头 TIG(水电,气电分离)	10
ITY8060	Cable connector TIG26 front/USA 2 pcs 铜绞线接头 TIG26/前端美式/气电分离	10
ITY8061	Cable connector 25mmq/10mm F 3/8G 铜绞线接头 25mmq/10mm F 3/8G	10
ITY8064	Cable connector 4mmq/6mm F M12x1 铜绞线接头 4mmq/6mm F M12x1	10
ITY8065	Cable connector 16mmq/9mm F 3/8G 铜绞线接头 16mmq/9mm F 3/8G	10

Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解, 请见封面内页 (公司简介)

PLUGS & FITTINGS

接头




GAS FITTINGS



Code	Ref.	Description	Pack
IZT9000		Connector with hexagon nut 5/8-18UNF 接头带 5/8-18UNF/六角外螺母	10
IZT9001		Connector with hexagon nut 1/4G 接头带 1/4G/六角内螺母	10
IZT9002		Connector with hexagon nut M16x1.5 接头带 M16x1.5/六角内螺母	10
IZT9003		Connector with hexagon nut 5/8-18UNF 接头带 5/8-18UNF/六角内螺母	10
IZT9004		Connector with hexagon nut 3/8-24UNF 接头带 3/8-24UNF/六角内螺母	10
IZT9005		Connector with hexagon nut 3/8G 接头带 3/8G/六角内螺母	10
IZT9006		Connector with hexagon nut 5/8-18UNF LH 接头带 5/8-18UNF LH/六角外螺母	10
IZT9007		Connector with hexagon nut M12x1 接头带 M12x1/六角内螺母	10
IZT9008		Connector with hexagon nut M10x1 接头带 M10x1/六角内螺母	10
IZT9009		Connector with hexagon nut 9/16-18 接头带 9/16-18/六角内螺母	10
IZT5601		Connetecing adaptor M12X1-3/8G 转换接头 M12X1-3/8G	
IZT5602		Connetecing adaptor M12x1 5/8-18UNF 转换接头 M12x1 5/8-18UNF	
IZT5603		Connetecing adaptor M16X1.5-M16X1.5 F 转换接头 M16X1.5-M16X1.5 F	
IZT5605		Connetecing adaptor M12x1 1/4G 转换接头 M12x1 1/4G	


Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解, 请见封面内页 (公司简介)

手柄



Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注: 关于注册商标、机器及配件的参考编号的注解, 请见封面内页 (公司简介)

手柄



Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注: 关于注册商标、机器及配件的参考编号的注解, 请见封面内页 (公司简介)

TORCH HEADS 枪头



Type	Code	Ref.	Description	Pack
TIG 9	IGZ0004	WP-9	Torch Head TIG9 TIG9 枪头	1
	IGZ0060	WP-9F	Torch Head TIG9 Flex TIG9 柔性枪头	1
	IGZ0604	WP-9V	Torch Head With Valve TIG9 TIG9 枪头/带阀门	1
	IGZ0660	WP-9FV	Torch Head With Valve TIG9 Flex TIG9 柔性枪头/带阀门	1
	IGZ6000	WP-9P	Auto Torch Head TIG9 TIG9 自动枪头	1
TIG 17	IGZ0062	WP-17	Torch Head TIG17 TIG17 枪头	1
	IGZ0077	WP-17F	Torch Head TIG17 Flex TIG17 柔性枪头	1
	IGZ0662	WP-17V	Torch Head With Valve TIG17 TIG17 枪头/带阀门	1
	IGZ0663	WP-17FV	Torch Head With Valve TIG17 Flex TIG17 柔性阀门	1
	IGZ6007	WP-17P	Auto Torch Head TIG17 TIG17 自动枪头	1
TIG 18	IGI0063	WP-18	Torch HeadTIG18 TIG18 枪头	1
	IGI0064	WP-18V	Torch Head With Valve TIG18 TIG18 枪头/带阀门	1
	IGI0468	WP-18SC	Torch Head TIG18 HC TIG18 枪头/HC	1
	IGI0663	WP-18F	Torch Head TIG18 Flex TIG18 柔性枪头	1
	IGI0664	WP-18FV	Torch Head With Valve TIG18 Flex TIG18 柔性枪头/带阀门	1
	IGI6006	WP-18P	Auto Torch Head TIG18 TIG18 自动枪头	1
TIG 20	IGI0070	WP-20	Torch HeadTIG20 TIG20 枪头	1
	IGI0076	WP-20V	Torch Head With Valve TIG20 TIG20 枪头/带阀门	1
	IGI0467	WP-20SC	Torch Head TIG20 HC TIG20 枪头/HC	1
	IGI0770	WP-20F	Torch Head TIG20 Flex TIG20柔性枪头	1
	IGI6000	WP-20P	Auto Torch Head TIG20 TIG20 自动枪头	1
TIG 24	IGI0079	WP-24W	Torch Head TIG24W TIG24W 枪头	1
	IGI0779	WP-24WF	Torch Head TIG24 W Flex TIG24W 柔性枪头	1
	IGZ0079	WP-24	Torch Head TIG24 TIG24 枪头	1
	IGZ0779	WP-24F	Torch Head TIG24 Flex TIG24柔性枪头	1
TIG 25	IGI0075	WP-25	Torch Head TIG25 TIG25 枪头	1
TIG 26	IGZ0071	WP-26	Torch Head TIG26 TIG26 枪头	1
	IGZ0072	WP-26F	Torch Head TIG26 Flex TIG26 柔性枪头	1
	IGZ0671	WP-26V	Torch Head With Valve TIG26 TIG26 枪头/带阀门	1
	IGZ0672	WP-26FV	Torch Head With Valve TIG26 Flex TIG26 柔性枪头/带阀门	1
	IGZ6006	WP-26P	Auto Torch Head TIG26 TIG26 自动枪头	1
	IHJ0016	VS-2	Valve TIG9/17 阀门 TIG9/17	1
	IHJ0017	VS-1	Valve TIG26 阀门 TIG26	1

Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解, 请见封面内页 (公司简介)


TORCH HEADS 枪头



Type	Code	Ref.	Description	Pack

Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解, 请见封面内页 (公司简介)

钨棒



Code	Description	Pack
IGB0006-10	Pure tungsten Φ 1.0x150mm Green;纯钨 Φ 1.0x150mm/绿色	10
IGB0006-16	Pure tungsten Φ 1.6x150mm Green;纯钨 Φ 1.6x150mm/绿色	10
IGB0006-20	Pure tungsten Φ 2.0x150mm Green;纯钨 Φ 2.0x150mm/绿色	10
IGB0006-24	Pure tungsten Φ 2.4x150mm Green;纯钨 Φ 2.4x150mm/绿色	10
IGB0006-30	Pure tungsten Φ 3.0x150mm Green;纯钨 Φ 3.0x150mm/绿色	10
IGB0006-32	Pure tungsten Φ 3.2x150mm Green;纯钨 Φ 3.2x150mm/绿色	10
IGB0006-40	Pure tungsten Φ 4.0x150mm Green;纯钨 Φ 4.0x150mm/绿色	10
IGB0006-48	Pure tungsten Φ 4.8x150mm Green;纯钨 Φ 4.8x150mm/绿色	10
IGB0007-10	Pure tungsten Φ 1.0x175mm Green;纯钨 Φ 1.0x175mm/绿色	10
IGB0007-16	Pure tungsten Φ 1.6x175mm Green;纯钨 Φ 1.6x175mm/绿色	10
IGB0007-20	Pure tungsten Φ 2.0x175mm Green;纯钨 Φ 2.0x175mm/绿色	10
IGB0007-24	Pure tungsten Φ 2.4x175mm Green;纯钨 Φ 2.4x175mm/绿色	10
IGB0007-30	Pure tungsten Φ 3.0x175mm Green;纯钨 Φ 3.0x175mm/绿色	10
IGB0007-32	Pure tungsten Φ 3.2x175mm Green;纯钨 Φ 3.2x175mm/绿色	10
IGB0007-40	Pure tungsten Φ 4.0x175mm Green;纯钨 Φ 4.0x175mm/绿色	10
IGB0007-48	Pure tungsten Φ 4.8x175mm Green;纯钨 Φ 4.8x175mm/绿色	10
IGB0007-64	Pure tungsten Φ 6.4x175mm Green;纯钨 Φ 6.4x175mm/绿色	10

IGB0008-10	Tungsten Th WT20 Φ 1.0x150mm Red,钨钨 WT20 Φ 1.0x150mm/红色	10
IGB0008-16	Tungsten Th WT20 Φ 1.6x150mm Red,钨钨 WT20 Φ 1.6x150mm/红色	10
IGB0008-20	Tungsten Th WT20 Φ 2.0x150mm Red,钨钨 WT20 Φ 2.0x150mm/红色	10
IGB0008-24	Tungsten Th WT20 Φ 2.4x150mm Red,钨钨 WT20 Φ 2.4x150mm/红色	10
IGB0008-30	Tungsten Th WT20 Φ 3.0x150mm Red,钨钨 WT20 Φ 3.0x150mm/红色	10
IGB0008-32	Tungsten Th WT20 Φ 3.2x150mm Red,钨钨 WT20 Φ 3.2x150mm/红色	10
IGB0008-40	Tungsten Th WT20 Φ 4.0x150mm Red,钨钨 WT20 Φ 4.0x150mm/红色	10
IGB0008-48	Tungsten Th WT20 Φ 4.8x150mm Red,钨钨 WT20 Φ 4.8x150mm/红色	10

IGB0009-10	Tungsten Th WT20 Φ 1.0x175mm Red;钨钨 WT20 Φ 1.0x175mm/红色	10
IGB0009-16	Tungsten Th WT20 Φ 1.6x175mm Red;钨钨 WT20 Φ 1.6x175mm/红色	10
IGB0009-20	Tungsten Th WT20 Φ 2.0x175mm Red;钨钨 WT20 Φ 2.0x175mm/红色	10
IGB0009-24	Tungsten Th WT20 Φ 2.4x175mm Red;钨钨 WT20 Φ 2.4x175mm/红色	10
IGB0009-30	Tungsten Th WT20 Φ 3.0x175mm Red;钨钨 WT20 Φ 3.0x175mm/红色	10
IGB0009-32	Tungsten Th WT20 Φ 3.2x175mm Red;钨钨 WT20 Φ 3.2x175mm/红色	10
IGB0009-40	Tungsten Th WT20 Φ 4.0x175mm Red;钨钨 WT20 Φ 4.0x175mm/红色	10
IGB0009-48	Tungsten Th WT20 Φ 4.8x175mm Red;钨钨 WT20 Φ 4.8x175mm/红色	10
IGB0009-64	Tungsten Th WT20 Φ 6.4x175mm Red;钨钨 WT20 Φ 6.4x175mm/红色	10

IGB0005-10	Tungsten Th WT20 Φ 1.0x178mm Red;钨钨 WT20 Φ 1.0x178mm/红色	10
IGB0005-16	Tungsten Th WT20 Φ 1.6x178mm Red;钨钨 WT20 Φ 1.6x178mm/红色	10
IGB0005-20	Tungsten Th WT20 Φ 2.0x178mm Red;钨钨 WT20 Φ 2.0x178mm/红色	10
IGB0005-24	Tungsten Th WT20 Φ 2.4x178mm Red;钨钨 WT20 Φ 2.4x178mm/红色	10
IGB0005-30	Tungsten Th WT20 Φ 3.0x178mm Red;钨钨 WT20 Φ 3.0x178mm/红色	10
IGB0005-32	Tungsten Th WT20 Φ 3.2x178mm Red;钨钨 WT20 Φ 3.2x178mm/红色	10
IGB0005-40	Tungsten Th WT20 Φ 4.0x178mm Red;钨钨 WT20 Φ 4.0x178mm/红色	10
IGB0005-48	Tungsten Th WT20 Φ 4.8x178mm Red;钨钨 WT20 Φ 4.8x178mm/红色	10
IGB0005-64	Tungsten Th WT20 Φ 6.4x178mm Red;钨钨 WT20 Φ 6.4x178mm/红色	10

IGB0002-10	Tungsten Ce WC20 Φ 1.0x150mm Grey; 钨铈 WC20 Φ 1.0x150mm/灰色	10
IGB0002-16	Tungsten Ce WC20 Φ 1.6x150mm Grey; 钨铈 WC20 Φ 1.6x150mm/灰色	10
IGB0002-20	Tungsten Ce WC20 Φ 2.0x150mm Grey; 钨铈 WC20 Φ 2.0x150mm/灰色	10
IGB0002-24	Tungsten Ce WC20 Φ 2.4x150mm Grey; 钨铈 WC20 Φ 2.4x150mm/灰色	10
IGB0002-30	Tungsten Ce WC20 Φ 3.0x150mm Grey; 钨铈 WC20 Φ 3.0x150mm/灰色	10
IGB0002-32	Tungsten Ce WC20 Φ 3.2x150mm Grey; 钨铈 WC20 Φ 3.2x150mm/灰色	10
IGB0002-40	Tungsten Ce WC20 Φ 4.0x150mm Grey; 钨铈 WC20 Φ 4.0x150mm/灰色	10
IGB0002-48	Tungsten Ce WC20 Φ 4.8x150mm Grey; 钨铈 WC20 Φ 4.8x150mm/灰色	10
IGB0002-64	Tungsten Ce WC20 Φ 6.4x150mm Grey; 钨铈 WC20 Φ 6.4x150mm/灰色	10

Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注:关于注册商标、机器及配件的参考编号的注解,请见封面内页(公司简介)

钨棒



Code	Description	Pack
IGB0003-10	Tungsten Ce WC20 Φ 1.0x175mm Grey 铸钨 WC20 Φ 1.0x175mm/灰色	10
IGB0003-16	Tungsten Ce WC20 Φ 1.6x175mm Grey 铸钨 WC20 Φ 1.6x175mm/灰色	10
IGB0003-20	Tungsten Ce WC20 Φ 2.0x175mm Grey 铸钨 WC20 Φ 2.0x175mm/灰色	10
IGB0003-24	Tungsten Ce WC20 Φ 2.4x175mm Grey 铸钨 WC20 Φ 2.4x175mm/灰色	10
IGB0003-30	Tungsten Ce WC20 Φ 3.0x175mm Grey 铸钨 WC20 Φ 3.0x175mm/灰色	10
IGB0003-32	Tungsten Ce WC20 Φ 3.2x175mm Grey 铸钨 WC20 Φ 3.2x175mm/灰色	10
IGB0003-40	Tungsten Ce WC20 Φ 4.0x175mm Grey 铸钨 WC20 Φ 4.0x175mm/灰色	10
IGB0003-48	Tungsten Ce WC20 Φ 4.8x175mm Grey 铸钨 WC20 Φ 4.8x175mm/灰色	10
IGB0003-64	Tungsten Ce WC20 Φ 6.4x175mm Grey 铸钨 WC20 Φ 6.4x175mm/灰色	10

IGB0001-10	Tungsten Zr WZ8 P 1.0x175mm White; 锆钨 WZ8 P 1.0x175mm/白色	10
IGB0001-16	Tungsten Zr WZ8 P 1.6x175mm White; 锆钨 WZ8 P 1.6x175mm/白色	10
IGB0001-24	Tungsten Zr WZ8 P 2.4x175mm White; 锆钨 WZ8 P 2.4x175mm/白色	10
IGB0001-32	Tungsten Zr WZ8 P 3.2x175mm White; 锆钨 WZ8 P 3.2x175mm/白色	10
IGB0001-40	Tungsten Zr WZ8 P 4.0x175mm White; 锆钨 WZ8 P 4.0x175mm/白色	10
IGB0001-48	Tungsten Zr WZ8 P 4.8x175mm White; 锆钨 WZ8 P 4.8x175mm/白色	10
IGB0001-64	Tungsten Zr WZ8 P 6.4x175mm White; 锆钨 WZ8 P 6.4x175mm/白色	10

IGB0004-10	Tungsten Th WT10 Φ 1.0x150mm Yellow-钨钨 WT10 Φ 1.0x150mm/黄色	10
IGB0004-16	Tungsten Th WT10 Φ 1.6x150mm Yellow-钨钨 WT10 Φ 1.6x150mm/黄色	10
IGB0004-20	Tungsten Th WT10 Φ 2.0x150mm Yellow-钨钨 WT10 Φ 2.0x150mm/黄色	10
IGB0004-24	Tungsten Th WT10 Φ 2.4x150mm Yellow-钨钨 WT10 Φ 2.4x150mm/黄色	10
IGB0004-30	Tungsten Th WT10 Φ 3.0x150mm Yellow-钨钨 WT10 Φ 3.0x150mm/黄色	10
IGB0004-32	Tungsten Th WT10 Φ 3.2x150mm Yellow-钨钨 WT10 Φ 3.2x150mm/黄色	10
IGB0004-40	Tungsten Th WT10 Φ 4.0x150mm Yellow-钨钨 WT10 Φ 4.0x150mm/黄色	10
IGB0004-48	Tungsten Th WT10 Φ 4.8x150mm Yellow-钨钨 WT10 Φ 4.8x150mm/黄色	10

[illegible]

IGB0067-10	Tungsten Th Wt40 Φ 1.0x175mm Orange: 钨钨 Wt10 Φ 1.0x175mm/橙色	10
IGB0067-16	Tungsten Th Wt40 Φ 1.6x175mm Orange: 钨钨 Wt10 Φ 1.6x175mm/橙色	10
IGB0067-20	Tungsten Th Wt40 Φ 2.0x175mm Orange: 钨钨 Wt10 Φ 2.0x175mm/橙色	10
IGB0067-24	Tungsten Th Wt40 Φ 2.4x175mm Orange: 钨钨 Wt10 Φ 2.4x175mm/橙色	10
IGB0067-30	Tungsten Th Wt40 Φ 3.0x175mm Orange: 钨钨 Wt10 Φ 3.0x175mm/橙色	10
IGB0067-32	Tungsten Th Wt40 Φ 3.2x175mm Orange: 钨钨 Wt10 Φ 3.2x175mm/橙色	10
IGB0067-40	Tungsten Th Wt40 Φ 4.0x175mm Orange: 钨钨 Wt10 Φ 4.0x175mm/橙色	10
IGB0067-48	Tungsten Th Wt40 Φ 4.8x175mm Orange: 钨钨 Wt10 Φ 4.8x175mm/橙色	10

IGB0068-10	Tungsten La WL15 Φ 1.0x150mm Gold; 铜钨 WL15 Φ 1.0x150mm/金色	10
IGB0068-16	Tungsten La WL15 Φ 1.6x150mm Gold; 铜钨 WL15 Φ 1.6x150mm/金色	10
IGB0068-20	Tungsten La WL15 Φ 2.0x150mm Gold; 铜钨 WL15 Φ 2.0x150mm/金色	10
IGB0068-24	Tungsten La WL15 Φ 2.4x150mm Gold; 铜钨 WL15 Φ 2.4x150mm/金色	10
IGB0068-32	Tungsten La WL15 Φ 3.2x150mm Gold; 铜钨 WL15 Φ 3.2x150mm/金色	10
IGB0068-40	Tungsten La WL15 Φ 4.0x150mm Gold; 铜钨 WL15 Φ 4.0x150mm/金色	10
IGB0068-48	Tungsten La WL15 Φ 4.8x150mm Gold; 铜钨 WL15 Φ 4.8x150mm/金色	10

IGB0069-10	Tungsten La WL15 Φ 1.0x175mm Gold; 锡钨 WL15 Φ 1.0x175mm/金色	10
IGB0069-16	Tungsten La WL15 Φ 1.6x175mm Gold; 锡钨 WL15 Φ 1.6x175mm/金色	10
IGB0069-20	Tungsten La WL15 Φ 2.0x175mm Gold; 锡钨 WL15 Φ 2.0x175mm/金色	10
IGB0069-24	Tungsten La WL15 Φ 2.4x175mm Gold; 锡钨 WL15 Φ 2.4x175mm/金色	10
IGB0069-32	Tungsten La WL15 Φ 3.2x175mm Gold; 锡钨 WL15 Φ 3.2x175mm/金色	10
IGB0069-40	Tungsten La WL15 Φ 4.0x175mm Gold; 锡钨 WL15 Φ 4.0x175mm/金色	10
IGB0069-48	Tungsten La WL15 Φ 4.8x175mm Gold; 锡钨 WL15 Φ 4.8x175mm/金色	10

Note: About the registered trade mark, reference number of the model of the machine and spare parts, please see inner cover (company introduction)
注: 关于注册商标、机器及配件的参考编号的注解, 请见封面内页 (公司简介)

Code	Description	Pack
IGB0065-10	Tungsten La WL20 Φ 1.0x175mm Blue; 钨钨 WL20 Φ 1.0x175mm/蓝色	10
IGB0065-16	Tungsten La WL20 Φ 1.6x175mm Blue; 钨钨 WL20 Φ 1.6x175mm/蓝色	10
IGB0065-20	Tungsten La WL20 Φ 2.0x175mm Blue; 钨钨 WL20 Φ 2.0x175mm/蓝色	10
IGB0065-24	Tungsten La WL20 Φ 2.4x175mm Blue; 钨钨 WL20 Φ 2.4x175mm/蓝色	10
IGB0065-32	Tungsten La WL20 Φ 3.2x175mm Blue; 钨钨 WL20 Φ 3.2x175mm/蓝色	10
IGB0065-40	Tungsten La WL20 Φ 4.0x175mm Blue; 钨钨 WL20 Φ 4.0x175mm/蓝色	10
IGB0065-48	Tungsten La WL20 Φ 4.8x175mm Blue; 钨钨 WL20 Φ 4.8x175mm/蓝色	10
IGB0065-64	Tungsten La WL20 Φ 6.4x175mm Blue; 钨钨 WL20 Φ 6.4x175mm/蓝色	10

IGB0061-10	Tungsten La WL20 Φ 1.0x150mm Blue; 钨铜 WL20 Φ 1.0x150mm/蓝色	10
IGB0061-16	Tungsten La WL20 Φ 1.6x150mm Blue; 钨铜 WL20 Φ 1.6x150mm/蓝色	10
IGB0061-20	Tungsten La WL20 Φ 2.0x150mm Blue; 钨铜 WL20 Φ 2.0x150mm/蓝色	10
IGB0061-24	Tungsten La WL20 Φ 2.4x150mm Blue; 钨铜 WL20 Φ 2.4x150mm/蓝色	10
IGB0061-32	Tungsten La WL20 Φ 3.2x150mm Blue; 钨铜 WL20 Φ 3.2x150mm/蓝色	10
IGB0061-40	Tungsten La WL20 Φ 4.0x150mm Blue; 钨铜 WL20 Φ 4.0x150mm/蓝色	10
IGB0061-48	Tungsten La WL20 Φ 4.8x150mm Blue; 钨铜 WL20 Φ 4.8x150mm/蓝色	10
IGB0061-64	Tungsten La WL20 Φ 6.4x150mm Blue; 钨铜 WL20 Φ 6.4x150mm/蓝色	10

IGB0062-10	Tungsten La WL10 Φ 1.0x175mm Black; 钨钨 WL10 Φ 1.0x175mm/黑色	10
IGB0062-16	Tungsten La WL10 Φ 1.6x175mm Black; 钨钨 WL10 Φ 1.6x175mm/黑色	10
IGB0062-24	Tungsten La WL10 Φ 2.4x175mm Black; 钨钨 WL10 Φ 2.4x175mm/黑色	10
IGB0062-32	Tungsten La WL10 Φ 3.2x175mm Black; 钨钨 WL10 Φ 3.2x175mm/黑色	10
IGB0062-40	Tungsten La WL10 Φ 4.0x175mm Black; 钨钨 WL10 Φ 4.0x175mm/黑色	10
IGB0062-48	Tungsten La WL10 Φ 4.8x175mm Black; 钨钨 WL10 Φ 4.8x175mm/黑色	10
IGB0062-64	Tungsten La WL10 Φ 6.4x175mm Black; 钨钨 WL10 Φ 6.4x175mm/黑色	10
IGB0062-80	Tungsten La WL10 Φ 8.0x175mm Black; 钨钨 WL10 Φ 8.0x175mm/黑色	10

IGB0063-80	Tungsten La WL10 Φ 8.0x85mm Black; 钨钨 WL10 Φ 8.0x85mm/黑色	10
IGB0064-16	Tungsten La WL10 Φ 1.6x150mm Black; 钨钨 WL10 Φ 1.6x150mm/黑色	10
IGB0064-24	Tungsten La WL10 Φ 2.4x150mm Black; 钨钨 WL10 Φ 2.4x150mm/黑色	10
IGB0064-32	Tungsten La WL10 Φ 3.2x150mm Black; 钨钨 WL10 Φ 3.2x150mm/黑色	10

IGB0070-10	Tungsten WR2 Ø 1.0x175mm Emerald; 鎢桿 WR2 Ø 1.0x175mm/翠綠色	10
IGB0070-16	Tungsten WR2 Ø 1.6x175mm Emerald; 鎢桿 WR2 Ø 1.6x175mm/翠綠色	10
IGB0070-24	Tungsten WR2 Ø 2.4x175mm Emerald; 鎢桿 WR2 Ø 2.4x175mm/翠綠色	10
IGB0070-32	Tungsten WR2 Ø 3.2x175mm Emerald; 鎢桿 WR2 Ø 3.2x175mm/翠綠色	10
IGB0070-40	Tungsten WR2 Ø 4.0x175mm Emerald; 鎢桿 WR2 Ø 4.0x175mm/翠綠色	10
IGB0070-48	Tungsten WR2 Ø 4.8x175mm Emerald; 鎢桿 WR2 Ø 4.8x175mm/翠綠色	10

— — — — 36 — — — —